

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/04/2020

Reviewed on 06/04/2020

### 1 Identification

- **Product Identifier**
- **Trade Name: Shark Armor Hand & Surface Wipes**
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:**



Made in the USA.

Non-woven multi-purpose wipes pre-moistened with 80% denatured ethyl alcohol to be used for all your business and personal sanitizing needs. These wipes are safe and effective for killing germs on most hard surfaces and hands thereby eliminating the need for multiple sanitizing items. Intended for use in homes, offices, gyms, and cars. These wipes can also be dispensed in suitable dispensers based on dimensions. 1000 pre-moistened wipes per roll. Bleach and phenol free.

- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
Forms Plus LLC dba Print Shark  
3435 Breckinridge Blvd  
Suite 130  
Duluth GA 30096  
1-844-866-9381  
sales@printshark.co  
<https://www.printshark.co/>
- **Emergency telephone number:**  
Chemtrec (US): (800) 424-9300  
Chemtrec (Outside US): (703) 527-3887 (Collect calls accepted)

### \* 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



STOT SE 3 H335 May cause respiratory irritation.

Eye Irrit. 2B H320 Causes eye irritation.

- **Label elements:**
- **Hazard pictograms:**



- **Signal word:** Danger
- **Hazard-determining components of labeling:**  
Denatured Ethanol

(Contd. on page 2)



# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/04/2020

Reviewed on 06/04/2020

## Trade Name: Shark Armor Hand & Surface Wipes

### Hazard statements:

- H225 Highly flammable liquid and vapor.
- H320 Causes eye irritation.
- H335 May cause respiratory irritation.

### Precautionary statements:

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a poison center/doctor if you feel unwell.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### Unknown acute toxicity:


This value refers to knowledge of known, established toxicological or ecotoxicological values.  
 0 % of the mixture consists of component(s) of unknown toxicity.

### Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

### NFPA ratings (scale 0 - 4)



### HMIS-ratings (scale 0 - 4)



### Hazard(s) not otherwise classified (HNOC): None known

## 3 Composition/Information on Ingredients

### Chemical characterization: Mixtures

Description: Mixture of substances listed below with non-hazardous additions.

### Dangerous Components:

CAS: 64-17-5	Denatured Ethanol	80%
RTECS: KQ 6300000	Flam. Liq. 2, H225; Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	

(Contd. on page 3)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/04/2020

Reviewed on 06/04/2020

### Trade Name: Shark Armor Hand & Surface Wipes

#### · **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### 4 First-Aid Measures

#### · **Description of first aid measures**

· **General information:** If symptoms persist, call a physician.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Generally, the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

· **After eye contact:**

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

· **After swallowing:**

Never give anything by mouth to an unconscious person.

Do not induce vomiting without medical advice.

Rinse mouth with water.

If swallowed and symptoms occur, consult a doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

### 5 Fire-Fighting Measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:**

Water with full jet

No further relevant information.

· **Special hazards arising from the substance or mixture:**

Do not use a solid water stream as it may scatter and spread fire.

Cool closed containers exposed to fire with water spray.

Flash back possible over considerable distance.

May form explosive mixtures in air.

Exposure to decomposition products may be a hazard to health.

Carbon oxides

· **Advice for firefighters**

· **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures:**

Use personal protective equipment.

Ensure adequate ventilation.

Remove all sources of ignition.

Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

Material can create slippery conditions.

(Contd. on page 4)



# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/04/2020

Reviewed on 06/04/2020

## Trade Name: Shark Armor Hand & Surface Wipes

### · Environmental precautions:

- Discharge into the environment must be avoided.
- Prevent further leakage or spillage if safe to do so.
- Retain and dispose of contaminated wash water.
- Local authorities should be advised if significant spillages cannot be contained.
- Dilute with plenty of water.

### · Methods and material for containment and cleaning up:

- Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- Dispose of the collected material according to regulations.

### · Reference to other sections:

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### · Protective Action Criteria for Chemicals

· <b>PAC-1:</b>		
64-17-5	Denatured Ethanol	1,800 ppm
· <b>PAC-2:</b>		
64-17-5	Denatured Ethanol	3300* ppm
· <b>PAC-3:</b>		
64-17-5	Denatured Ethanol	15000* ppm

## 7 Handling and Storage

### · Handling

#### · Precautions for safe handling:

- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

#### · Information about protection against explosions and fires:

- Keep ignition sources away - Do not smoke.
- Protect from heat.
- Protect against electrostatic charges.

#### · Conditions for safe storage, including any incompatibilities

#### · Storage

#### · Requirements to be met by storerooms and receptacles:

- Protect from freezing
- Store at room temperature.
- Keep container tightly closed.
- Store in a cool, dry place away from sparks and flame.

#### · Information about storage in one common storage facility: Not required.

#### · Further information about storage conditions:

- Keep receptacle tightly sealed.
- Protect from heat and direct sunlight.

#### · Specific end use(s): No further relevant information available.

## 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/04/2020

Reviewed on 06/04/2020

**Trade Name: Shark Armor Hand & Surface Wipes**

· **Control parameters:**

· **Components with occupational exposure limits:**

**64-17-5 Denatured Ethanol**

PEL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
REL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
TLV	Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls:**

· **Personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

· **Breathing equipment:** Not required.

· **Protection of hands:** Not required.

· **Material of gloves:** Not applicable.

· **Penetration time of glove material:** Not applicable.

· **Eye protection:**



Tightly sealed goggles

· **Limitation and supervision of exposure into the environment:** None

### 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Pre-moistened wipe (no free liquid)

**Color:** Clear

· **Odor:** Alcohol-like

· **Odor threshold:** Not determined.

· **pH-value @ 20 °C (68 °F):** 6.3-8.5

· **Change in condition**

**Melting point/Melting range:** Not determined.

**Boiling point/Boiling range:** ≥78 °C (≥172.4 °F)

· **Flash point:** 23 °C (73.4 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** ≥425 °C (≥797 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

(Contd. on page 6)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/04/2020

Reviewed on 06/04/2020

### Trade Name: Shark Armor Hand & Surface Wipes

- **Explosion limits:**
  - Lower:**  $\geq 3.5$  Vol %
  - Upper:**  $\leq 15$  Vol %
- **Vapor pressure @ 20 °C (68 °F):**  $\leq 59$  hPa ( $\leq 44.3$  mm Hg)
- **Density @ 20 °C (68 °F):** 0.7901 g/cm<sup>3</sup> (6.5934 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
  - Water:** Fully miscible.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 80.0 %
  - VOC content:** 80.00 %
- **Solids content:** 0.0 %
- **Other information:** No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Product is stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:**
  - Flammable.
  - Reacts with strong oxidizing agents.
- **Conditions to avoid:**
  - Keep out of direct sunlight.
  - Avoid all sources of ignition: heat, sparks and open flames.
  - Avoid heat, friction, shock, impact, and electrostatic discharge.
  - Heat, flame and ignition sources.
- **Incompatible materials:**
  - Strong oxidizing agents.
  - Avoid contact with combustible materials. The product could catch fire.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 7)



# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/04/2020

Reviewed on 06/04/2020

Trade Name: Shark Armor Hand & Surface Wipes

## 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

### 64-17-5 Denatured Ethanol

Oral	LD50	7,060 mg/kg (Rat) Remarks: Lungs, Thorax, or Respiration: Other changes. Carcinogenicity - Mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkin's disease. Central nervous system depression, narcosis, Damage to the heart., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Heart - Irregularities - Based on Human Evidence Central nervous system - Breathing difficulties - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence
Inhalative	LC50/4 h	20,000 mg/l (Rat)
	LC50/96 hours	12,900-15,300 mg/l (Trout)

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** Irritating effect.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**  
Group 1 - Carcinogenic to humans  
Group 2A - Probably carcinogenic to humans  
Group 2B - Possibly carcinogenic to humans  
Group 3 - Not classifiable as to its carcinogenicity to humans  
Group 4 - Probably not carcinogenic to humans  
The IARC (the International Agency for Research on Cancer) concluded that ethanol found alcoholic beverages to be Group 1 - Carcinogenic to humans. All other instances it is not consider carcinogenic.

64-17-5 Denatured Ethanol	1
---------------------------	---

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

## 12 Ecological Information

· **Toxicity:**

· **Aquatic toxicity:**

### 64-17-5 Denatured Ethanol

EC50 34,900 mg/l (Daphnia)

· **Persistence and degradability:** No further relevant information available.

(Contd. on page 8)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/04/2020

Reviewed on 06/04/2020

### Trade Name: Shark Armor Hand & Surface Wipes

- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

### 13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**  
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport Information

- **UN-Number:**
- **DOT, ADR/ADN, IMDG, IATA** UN1170
- **UN proper shipping name:**
- **DOT** Ethanol mixture
- **ADR/ADN** UN1170 ETHANOL (ETHYL ALCOHOL) mixture
- **IMDG** ETHANOL (ETHYL ALCOHOL) mixture
- **IATA** ETHANOL mixture
- **Transport hazard class(es):**
- **DOT**



- **Class:** 3 Flammable liquids
- **Label:** 3

---

#### · ADR/ADN



- **Class:** 3 (F1) Flammable liquids
- **Label:** 3

(Contd. on page 9)





### Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/04/2020

Reviewed on 06/04/2020

Trade Name: Shark Armor Hand & Surface Wipes

· **IMDG, IATA**



- **Class:** 3 Flammable liquids
- **Label:** 3
- **Packing group:** II
- **DOT, ADR/ADN, IMDG, IATA** II
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Warning: Flammable liquids
- **Hazard identification number (Kemler code):** 33
- **EMS Number:** F-E,S-D
- **Stowage Category** A
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **Transport/Additional information:**
- **DOT**
- **Quantity limitations:** On passenger aircraft/rail: 5 L  
On cargo aircraft only: 60 L

- **ADR/ADN**
- **Excepted quantities (EQ):** Code: E2  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml

- **IMDG**
- **Limited quantities (LQ):** 1L
- **Excepted quantities (EQ):** Code: E2  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml
- **UN "Model Regulation":** UN 1170 ETHANOL (ETHYL ALCOHOL) MIXTURE, 3, II

**\* 15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· <b>Section 355 (extremely hazardous substances):</b>	None of the ingredients are listed.
· <b>Section 313 (Specific toxic chemical listings):</b>	None of the ingredients are listed.
· <b>TSCA (Toxic Substances Control Act):</b>	All components have the value ACTIVE.
· <b>Hazardous Air Pollutants</b>	None of the ingredients are listed.
· <b>California Proposition 65:</b>	
· <b>Chemicals known to cause cancer:</b>	None of the ingredients are listed.

(Contd. on page 10)



### Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/04/2020

Reviewed on 06/04/2020

**Trade Name: Shark Armor Hand & Surface Wipes**

· <b>Chemicals known to cause reproductive toxicity for females:</b>		
None of the ingredients are listed.		
· <b>Chemicals known to cause reproductive toxicity for males:</b>		
None of the ingredients are listed.		
· <b>Chemicals known to cause developmental toxicity:</b>		
None of the ingredients are listed.		
· <b>New Jersey Right-to-Know List:</b>		
64-17-5	Denatured Ethanol	
· <b>New Jersey Special Hazardous Substance List:</b>		
64-17-5	Denatured Ethanol	CA, MU, TE, F3
· <b>Pennsylvania Right-to-Know List:</b>		
64-17-5	Denatured Ethanol	
· <b>Pennsylvania Special Hazardous Substance List:</b>		
None of the ingredients are listed.		
· <b>Carcinogenic categories:</b>		
· <b>EPA (Environmental Protection Agency):</b>		
None of the ingredients are listed.		
· <b>TLV (Threshold Limit Value established by ACGIH):</b>		
64-17-5	Denatured Ethanol	A3
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b>		
None of the ingredients are listed.		

· **GHS label elements**  
 The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



· **Signal word:** Danger

· **Hazard-determining components of labeling:**

Denatured Ethanol

· **Hazard statements:**

- H225 Highly flammable liquid and vapor.
- H320 Causes eye irritation.
- H335 May cause respiratory irritation.

· **Precautionary statements:**

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.



# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/04/2020

Reviewed on 06/04/2020

## Trade Name: Shark Armor Hand & Surface Wipes

- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a poison center/doctor if you feel unwell.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

None of the ingredients are listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of last revision/ revision number:** 06/04/2020 / 1

· **Abbreviations and acronyms:**

- ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety and Health
- OSHA: Occupational Safety & Health Administration
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Flam. Liq. 2: Flammable liquids – Category 2
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106